

**RECEIVED
CENTRAL FAX CENTER**

APR 10 2006

Customer No.: 31561
Docket No.: 12810-US-PA
Application No.: 10/711,282

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Applicant : Fran et al.
Application No. : 10/711,282
Filed : 2004/9/7
For : CAVITY STRUCTURE AND COLD CATHODE
FLUORESCENT FLAT LAMP USING THE SAME
Art Unit : 2879
Examiner : MACCHIAROLO, PETER J

TRANSMITTAL LETTER

002-1-571-273-8300

(Via fax : 1+11 pages)

Assistant Commissioner for Patents
Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated January 11, 2006(Paper No.: 0106), please find the Response to Office Action, in 11 pages.

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 12810-US-PA).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,
JIANQ CHYUN Intellectual Property Office

Date : April 10, 2006By : Belinda Lee
Belinda Lee
Registration No.: 46,863

Please send future correspondence to:
7F. -1, No. 100, Roosevelt Rd.,
Sec. 2, Taipei 100, Taiwan, R.O.C.
Tel: 886-2-2369 2800 Fax: 886-2-2369 7233 / 886-2-2369 7234
E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw

**RECEIVED
CENTRAL FAX CENTER**

APR 10 2006

Customer No.: 31561
Docket No.: 12810-US-PA
Application No.: 10/711,282**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Examiner: MACCHIAROLO, PETER J

Group Art Unit: 2879

In re PATENT APPLICATION of
Applicants : Fran et al.

Serial No. : 10/711,282

Filed : September 7, 2004

For : CAVITY STRUCTURE AND
COLD CATHODE
FLUORESCENT FLAT LAMP
USING THE SAMEAMENDMENT) Attorney Docket: 12810-US-PA
)

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 12810-US-PA)

AMENDMENT AND RESPONSE TO OFFICE ACTION

United States Patent and Trademark Office
Customer Service Window
Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Dear Sir:

The Office Action mailed January 11, 2006 has been carefully considered. In response thereto, please enter the following amendments and consider the following remarks.

Page 1